



GOLF EQUIPMENT CATALOGUE





EXPERTS IN TURF CARE

*Join the ranks of satisfied customers around the globe –
make Toro the preferred name at your home.*

On golf courses, parks, municipalities, sports fields and individual lawns around the world, our commitment to providing innovative, high quality products and systems to maintain turf has become legendary. From baseball diamonds in Toro's U.S. homeland, and Professional Football pitches around the world, to St. Andrews and Wimbledon, Toro mowers are used to maintain some of the most prestigious grassed areas in the world. This passion and experience also led us to develop high quality equipment for home use, with products that make tending your garden as simple and effortless as possible – so you can spend more of your time enjoying its beauty.



Old Trafford, Manchester, UK



The Old Course, St. Andrews, Fife, Scotland

Trusted by Professionals and Homeowners around the Globe

Learn more at Toro's History,
Watch the video




INNOVATION

With well over 1500 patents related to turf maintenance, innovation is at the heart of Toro's success. Continued investment in R&D and new technologies make Toro the preferred choice to all.



CUSTOMER CARE

Our global network of dealers and distributors is here to provide the best support to keep your equipment in peak condition. Visit [toro.com](https://www.toro.com) to locate your nearest Toro dealer.



LEGACY OF EXCELLENCE

Since 1919, The Toro Company has built, tested and led innovative solutions to care for your turf. Today, Toro continues to lead by focusing on creating high performance, environmentally friendly solutions to help our customers around the world preserve the beauty, productivity and sustainability of the land.



Learn more at
Toro.com



TABLE OF CONTENTS

TORO® GOLF EQUIPMENT CATALOGUE




■	Greens Mowers - Walking	6 - 9
	Greensmaster® 800 Greensmaster 1000 Greensmaster 1600 Greensmaster Flex 1820 Greensmaster eFlex 1820 Greensmaster Flex 2120 Greensmaster eFlex 2120 TransPro™ Trailers	
■	Greens Mowers - Riding	10 - 13
	Greensmaster 3150-Q Greensmaster 3250-D Greensmaster 3300 Greensmaster 3320 Greensmaster 3400 Greensmaster 3420	
■	Trim and Rough Mowers	14 - 19
	Reelmaster® 3100-D Groundsmaster® 360 Quad-Steer™ Groundsmaster 3280-D Groundsmaster 3400 Groundsmaster 3500-D / 3505-D Groundsmaster 4300-D Groundsmaster 4000-D / 4010-D Groundsmaster 4100-D / 4110-D Groundsmaster 4500-D / 4700-D Groundsmaster 5900 / 5910 Groundsmaster 7200 / 7210 TM5490 & 7490	
■	Fairway Mowers	20 - 21
	Reelmaster 3550-D Reelmaster 3555 / 3575-D Reelmaster 5010-H Reelmaster 5410-D Reelmaster 5510-D Reelmaster 5610-D Reelmaster 6700-D Reelmaster 7000-D	
■	Cultivation/Debris Equipment	22 - 29
	Sand Pro® 2040Z / 3040 / 5040 Pro Sweep® Rake-O-Vac® Versa-Vac™ Debris Blower 600 Pro Force® Debris Blower 360 Pro Force Debris Blower ProCore® 648 ProCore 864 ProCore 1298 ProCore SR Series ProCore Processor Aerothatch 83/Seeder 93	
■	Utility Vehicles	30 - 31
	Workman® GTX Workman MDX / MDX-D Workman HD / HDX / HDX-D	
■	Spray and Application Equipment	32 - 35
	Multi Pro® 1750 Multi Pro 5800-D Multi Pro WM Topdresser 1800 / 2500 ProPass 200 MH-400	
■	Specialty Products	36 - 37
	HoverPro® GreensPro™ 1240 ProStripe® 560	

GREENSMASTER®

800 · 1000 · 1600

Toro® walking Greensmaster mowers keep the score of the game in the golfer’s hands. Their industry-leading cutting units deliver the truest, most predictable ball roll on even the most contoured greens. They are ideal for perfectly manicured tee boxes, too. With operator-friendly designs and innovations, Toro Greensmaster mowers will give you a consistent, unmatched quality-of-cut – green after green.



EASY REEL TO BEDKNIFE ADJUSTMENT

Makes the reel to bedknife adjustment easy and most accurate with a “click type” adjustment. Prevents misadjustment while tightening counter nut.



EDGEMAX™ BEDKNIFE

Provides superior edge retention, performance and extended life with its hardened steel construction. Available for Greensmaster cutting units in Microcut or Tournament options to match your course conditions.

SPECIFICATIONS



	GREENSMASTER 800	GREENSMASTER 1000	GREENSMASTER 1600
Engine	Subaru® Industrial	Subaru Industrial	Subaru Industrial
Fuel	Petrol	Petrol	Petrol
Width of Cut	46 cm	53 cm	66 cm
Height of Cut	1.98-25.4 mm *	1.98-25.4 mm *	3.2-31.8 mm ¹
Mowing Speed	2.4-5.3 km/h	2.4-5.3 km/h	2.4-5.3 km/h

* High height of cut kit required for cutting heights above 25.4 mm
¹ High height of cut kit required for cutting heights about 31.8 mm



Learn more at
Toro.com/GOLF



Terre Blanche Hotel Spa Golf Resort, France

ACCESSORIES

TransPro™ 80 Trailer ▼

Safely and easily transports Toro walking Greensmasters to and from the green. The unique design protects your investments and keeps the adjustments intact. TransPro 80 transports a single Greensmaster mower.



TransPro 100 Trailer ▼

Transports two walk greens mowers for additional timesavings and productivity gains.



GREENSMASTER® EFLEX®/FLEX

1820 · 2120

In the world of greensmowing a Lithium-Ion battery powered Greensmaster eFlex that can cut up to nine typical greens on a single charge is a game changer. It's as simple as "Mow, Charge and Repeat". And that's only one part of the eFlex innovation story that promises to improve your playing surfaces and save you money over the life of the product. Improved controls, an automated EZ-Turn™ feature, better clippings capture, simplified belt-drive transmission, kick-stand assist, an advanced battery management system and many other features combine to make this an outstanding and environmentally-friendly greensmower value.

Learn more at
Toro.com/GOLF



The Old Course, St. Andrews, Scotland



1 Simple Poly-V Belt Drive Transmission

Transfers power to the reel and traction drum both when and where it is needed. The common drive system delivers power to both the traction drum and reel to maintain a constant clip regardless of ground speed.

2 Advanced Lithium-Ion Battery Technology

Provides enough charge to mow up to 4,180 m² (9 average greens) on a single charge. One battery is designed to last five years and deliver ample power to cut greens and accommodate key accessories such as groomers and light kits. No CO₂ emissions, no toxic waste to dispose of, no liquid levels to monitor, no terminals to clean, no battery pack change outs during the work day, and the worry-free list goes on.

3 Built-in Clip Adjustments

Included on each new Flex™ walker, the six easy to configure clip rate options accommodate specific cutting heights and playability requirements for any event or desired playing condition. Three colour-coded pulleys are quick to reconfigure with a single spanner, to set your clip rate to achieve the desired result.

4 Patented EZ-Turn™

Automatically slows the unit when turning at the end of a mowing path and automatically speeds up again after a controlled turn on the return pass. Improved control reduces damage to turf, particularly in tight turns near a bunker or hazard, and produces better alignment on the return pass without sacrificing productivity.

SPECIFICATIONS

	GREENSMaster EFLEX 1820	GREENSMaster FLEX 1820	GREENSMaster EFLEX 2120	GREENSMaster FLEX 2120
Power Source	Lithium-Ion Battery	Subaru®	Lithium-Ion Battery	Subaru®
Fuel	Battery	Petrol	Battery	Petrol
Width of Cut	46 cm	46 cm	53 cm	53 cm
Height of Cut*	1.6 – 7.5 mm	1.6 – 7.5 mm	1.6 – 7.5 mm	1.6 – 7.5 mm
Mowing Speed	1.4 – 5.9 km/h	2.5 – 5.9 km/h	1.4 – 5.9 km/h	2.5 – 5.9 km/h

* High height of cut kit required for cutting heights above 7.5 mm

GREENSMASTER®


3150-Q · 3250-D

Get the precision cut you want from a highly productive Toro® Riding Greensmaster. In addition to their lightweight design, their power, comfort and performance make them the preferred choice. Greenkeepers know they can count on Toro triplex greens mowers to run quietly, work quickly and cut superbly, season after season.



THE REEL STORY

Patented DPA Cutting Units are precision manufactured for perfect alignment to provide the highest quality of cut and minimal adjustments. Choose from an 8, 11 or 14-blade reel to achieve your desired cut.



EASY REEL TO BEDKNIFE ADJUSTMENT

Makes the reel to bedknife adjustment easy and most accurate with a "click type" adjustment. Prevents misadjustment while tightening counter nut.



PERFECT TRIANGLE WHEEL STANCE DESIGN

Places the rear wheel track within the radius of the front wheels, which prevents accidentally dropping the rear wheel into an adjacent sand bunker while making the turn for the next mowing path.



EDGEMAX™ BEDKNIFE

Provides superior edge retention, performance and extended life with its hardened steel construction. Available for Greensmaster cutting units in Microcut or Tournament options to match your course conditions.





Learn more at
Toro.com/GOLF



SPECIFICATIONS



	GREENSMaster 3150-Q	GREENSMaster 3250-D
Engine	Briggs & Stratton® 13.4 kW (18 hp)	Kubota 18.5 kW (24.8 hp)
Fuel	Petrol	Diesel (biodiesel ready)*
Width of Cut	150 cm	150 cm
Height of Cut**	1.6 – 25.4 mm	1.6 – 25.4 mm
Mowing Speed	3.2 – 8 km/h	3 – 8 km/h
Transport Speed	0 – 14.4 km/h	0 – 14.4 km/h

*Biodiesel ready for use up to B-20 (20% biodiesel and 80% diesel blend).
** High height of cut kit required for cutting heights above 7.5 mm

GREENSMASTER® TRIFLEX™

3300 · 3320 · 3400 · 3420

Double A-Arm™ Suspension and Flex Technology allow cutting units to closely follow turf delivering the productivity of a rider with the precision of a walker. Improve your putting surface and your bottom line with the Toro® Greensmaster TriFlex, available in petrol, diesel and hybrid models. Highly productive, extraordinarily versatile and simple to service, this riding mower is certain to elevate the standards by which all other riding greensmowers will be measured.




DOUBLE A-ARM SUSPENSION SYSTEM

Maintains full flotation range to prevent gouging or scalping when mowing over undulations.



PROVEN FLEX SUSPENSION (PATENTED)

Provides superior contour following capability with an integrated Flex linkage system to allow cutting units to pivot around the centre of the front roller to master undulations and prevent side-to-side scrubbing of the putting surface.



BALLOON STYLE TYRES

Deliver uniform loading across the entire footprint to eliminate sidewall loading that can create visible tyre tracks.

TOOL-FREE, QUICK-CHANGE CUTTING UNITS ▼

Can go from cutting greens at 1.6 mm to cutting a Fairway at 19 mm in just a few minutes. The tool-free, quick-change cutting units make it as easy as 1-2-3.

1



2



3





Learn more at
Toro.com/GOLF



SPECIFICATIONS

	GREENSMaster 3300	GREENSMaster 3320	GREENSMaster 3400	GREENSMaster 3420
Engine	13.4 kW (21 hp)	13.4 kW (21 hp)	18.5 kW (24.8 hp)	18.5 kW (24.8 hp)
Fuel	Petrol	Petrol	Diesel (biodiesel ready)*	Diesel (biodiesel ready)*
Cutting Unit Drive System	Hydraulic	Electric	Hydraulic	Electric
Width of Cut	150 cm	150 cm	150 cm	150 cm
Height of Cut**	1.6 – 25.4 mm	1.6 – 25.4 mm	1.6 – 25.4 mm	1.6 – 25.4 mm
Mowing Speed	0 – 8 km/h	0 – 8 km/h	0 – 8 km/h	0 – 8 km/h
Transport Speed	0 – 16.1 km/h	0 – 16.1 km/h	0 – 16.1 km/h	0 – 16.1 km/h

*Biodiesel ready for use up to B-20 (20% biodiesel and 80% diesel blend).

** High height of cut kit required for cutting heights above 7.5 mm

GREENS - WALKING

GREENS - RIDING

TRIM & ROUGH

FAIRWAY

CULTIVATION & DEBRIS

UTILITY VEHICLES

SPRAY & APPLICATION

SPECIALTY PRODUCTS

GROUNDMASTER® & REELMASTER®

GROUNDMASTER 3280-D · 3400 · 7210 · 360

REELMASTER 3100-D

Since 1973, Toro® Groundsmasters have been proven on the world's top golf courses, delivering consistent, clean cuts and breathtaking roughs. Innovative Groundsmaster rotary mowers provide versatility with a compact footprint.

When you need a reel trim mower whose cutting quality and versatility is second to none, the Toro Reelmaster 3100-D is the clear choice. It's the only reel mower with Sidewinder® technology that slides the cutting units side-to-side, on the fly, to reach turf that other mowers can't. It's perfect for mowing around greens and bunkers where precision control is a must.



THE INDUSTRY'S TOUGHEST SPINDLE ASSEMBLY

Takes workloads that would destroy most spindle assemblies. A cast iron housing with a massive 23 cm diameter base absorbs impacts and distributes the load across the robust deck shell. Plus, Timken® tapered roller bearings last up to six times longer than ball bearings.



MULTI-USE VERSATILITY QUICK ATTACHMENT SYSTEM (QAS) WITH SEASONAL ATTACHMENTS

- Debris blower with rear mounted Quick Attach System (QAS)
- Snow removal with POLAR TRAC™ system



QUAD-STEER™ TECHNOLOGY

Delivers true all-wheel cornering to the Groundsmaster 360. When turning the steering wheel, the inside and outside tyres pivot around a common point so you can make tight turns or trim around obstacles without turf damage.



SIDEWINDER WITH DPA CUTTING UNITS

Cutting units shift from side-to-side for exceptional trim capabilities. DPA cutting units are quick and easy to adjust.



The Castle Course, St. Andrews, Scotland



SPECIFICATIONS

	REELMASTER 3100-D	GROUNDMASTER 3280-D	GROUNDMASTER 3400	GROUNDMASTER 7210	GROUNDMASTER 360
Engine	16 kW (21.5 hp)	18.5 kW (24.8 hp)	26.5kw (35.5hp)	27.5 kW (36.8 hp)	18.5 kW (24.8 hp)/ 27.5 kW (36.8 hp)
Fuel	Diesel B20 Compatible	Diesel B20 Compatible	Diesel B20 Compatible	Diesel B20 Compatible	Diesel B20 Compatible
Width of Cut	183 cm, 216 cm	132 cm, 183 cm, 152 cm, 157 cm	157 cm, 183 cm	152.4, 158 cm, 183 cm	183 cm, 254 cm
Mowing Speed	0 – 10 km/h	0 – 8 km/h	0-25.5 km/h	0 – 20 km/h	0 – 16/19.3 km/h
Wheelbase	142 cm	2WD: 117 cm; 4WD: 121 cm	152.5 cm	144.8 cm	145 cm

*Biodiesel ready for use up to B-20 (20% biodiesel and 80% diesel blend).

GROUNDMASTER®

GROUNDMASTER 3500-D · 4300-D · 4500-D/4700-D

With the unique landscape of today's courses, trim and rough areas can be the most challenging areas to mow. Toro® Groundsmaster products are up to the task with a variety of mowers in every size, power and style. Choose any one of our highly-productive rotary mowers and get the rough cut in record time.



SMARTCOOL™ SYSTEM

Keeps Toro's Groundsmaster 4500-D and 4700-D on the job and moving forward. Before the engine gets too hot, SmartCool briefly reverses the cooling fan to blast chaff and debris from the intake screens.



SMARTPOWER™

Prevents the machine from bogging down in heavy cutting conditions and keeps the blades at optimum cutting speed by automatically reducing ground speed to deliver more power to the blades. The SmartPower™ system is available on the Groundsmaster 4000-D, 4100-D, 4500-D, and 4700-D.

Learn more at
Toro.com/GOLF





Groundsmaster® 3500-D ◀

Premium triplex rotary mower delivers convenience and durability. Exceptional hillside stability, with patented 3-wheel drive system, plus the flexibility of the Sidewinder® feature.

Groundsmaster 4300-D ▶

Light, superior hill-climbing and spectacular aftercut appearance. Five Contour™ Plus cutting units for efficient mowing, even on undulating terrain. Steep slopes or wet grass won't slow you down with the CrossTrax™ 4-wheel drive system.



Groundsmaster 4500-D/4700-D ◀

The clean quality of cut, maintenance ease and the SmartCool™ system keeps your machine on the job and moving forward. With Contour Plus engineering inside the decks, these mowers are a blend of powerful productivity and refined results.

SPECIFICATIONS

	GROUNDMASTER 3500-D	GROUNDMASTER 4300-D
Engine	18.5 kW (24.8 hp)	33 kW (44.2 hp)
Fuel	Diesel/ Ultra-low Sulfur Diesel (biodiesel ready)*	Diesel/ Ultra-low Sulfur Diesel (biodiesel ready)*
Width of Cut	173 cm, 183 cm	229 cm
Wheelbase	151 cm	152 cm
Mowing Speed	0 – 10 km/h	0 – 11 km/h

*Biodiesel ready for use up to B-20 (20% biodiesel and 80% diesel blend).

	GROUNDMASTER 4500-D		GROUNDMASTER 4700-D	
Model	30873	30881	30874	30882
Engine	Yanmar® Tier 4 Interim EU Stage IIIA, 35.8 kW (48 hp) @ 2600 RPM	Yanmar Tier 4 Final EU Stage IIIB, 40.3 kW (54 hp) @ 2700 RPM	Yanmar Tier 4 Interim EU Stage IIIA, 35.8 kW (48 hp) @ 2600 RPM	Yanmar Tier 4 Final EU Stage IIIB, 40.3 kW (54 hp) @ 2700 RPM
Fuel	Diesel B20 Compatible	Diesel/ Ultra-low Sulfur Diesel (biodiesel ready)*	Diesel B20 Compatible	Diesel/ Ultra-low Sulfur Diesel (biodiesel ready)*
Width of Cut	277 cm		381 cm	
Wheelbase	172 cm		172 cm	
Mowing Speed	0 – 11 km/h		0 – 11 km/h	

*Biodiesel ready for use up to B-20 (20% biodiesel and 80% diesel blend).

GROUNDMASTER®

GROUNDMASTER 4000-D/4100-D · 5900 · 5490 & 7490

Get the job done quickly, efficiently and safely with the Toro® line up of large area mowers. Whether you have thick grass or challenging conditions these high capacity mowers have the power to get the rough cut in record time.



Groundsmaster 4000-D / 4100-D ▲

Power where you need it most - to cut grass, no matter how challenging the conditions. With SmartPower™ technology, high engine torque and patented, efficient deck drive systems, these mowers are designed for productivity. Excellent trimming capability to manoeuvre around obstacles with ease, mow a 0 uncut circle.

Groundsmaster 5900 ▲

One of the largest, most-powerful mowers available. Yet it still offers surprising manoeuvrability and versatility for a wide range of applications.

TM5490 & 7490 ▲

These 5 or 7 unit mowers are designed for high output tractor drawn gang mowing. The high capacity hydraulic system powers both lift and cutting units to provide optimum performance in heavy wet growth as well as on finer quality playing surfaces.





Learn more at
Toro.com/GOLF



SPECIFICATIONS

GROUNDMASTER® 4000-D				GROUNDMASTER 4100-D	
Model	30603/30605	30607/30609		30602/30604	30606/30608
Engine	Yanmar® Tier 4 Interim EU Stage IIIA, 35.8 kW (48 hp) @ 2600 RPM	Yanmar Tier 4 Final EU Stage IIIB, 41 kW (55 hp) @ 2000 RPM		Yanmar Tier 4 Interim EU Stage IIIA, 35.8 kW (48 hp) @ 2600 RPM	Yanmar Tier 4 Final EU Stage IIIB, 41 kW (54 hp) @ 2000 RPM
Fuel	Diesel B20 Compatible	Diesel/ Ultra-low Sulfur Diesel (biodiesel ready)*		Diesel B20 Compatible	Diesel/ Ultra-low Sulfur Diesel (biodiesel ready)*
Width of Cut	346 cm	335 cm		323 cm	315 cm
Mowing Speed	0 – 11 km/h	0 – 13 km/h		0 – 11 km/h	0 – 13.4 km/h
Wheelbase	140 cm	140 cm		140 cm	140 cm

GROUNDMASTER 5900		TM5490		TM7490	
Engine	73.8 kW (99 hp)/53.7 kW (72 hp)	Type	5-Gang Trailed Mower		7-Gang Trailed Mower
Fuel	Diesel/ Ultra-low Sulfur Diesel (biodiesel ready)*	Cutting Units	20 cm Diameter - 4, 6, 8, or 10-blade fixed or floating		25 cm Diameter - 4, 6, or 8-blade fixed
Width of Cut	145 cm, 234 cm, 366 cm, 488 cm	Minimum Tractor HP	45 HP @ 540 rpm PTO		70 HP @ 540 rpm PTO
Mowing Speed	0 – 17 km/h	Width of Cut	350 cm		478 cm
Wheelbase	194 cm				

*Biodiesel ready for use up to B-20 (20% biodiesel and 80% diesel blend).

GREENS - WALKING

GREENS - RIDING

TRIM & ROUGH

FAIRWAY

CULTIVATION & DEBRIS

UTILITY VEHICLES

SPRAY & APPLICATION

SPECIALTY PRODUCTS

REELMASTER®


REELMASTER 3550-D · 3555/3575 · 5010-H · 5410-D ·
5510-D · 5610-D · 6700-D · 7000-D

Performance, productivity and quality are just words if a piece of equipment has not earned them through actual customer usage. After many years of satisfying customers, the Reelmaster line of fairway mowers has earned a reputation for delivering exceptional performance, maximum productivity and high quality after-cut appearance.



PROVEN RELIABILITY AND PERFORMANCE

Time-tested platforms deliver exceptional durability, high performance and versatility.



OUTSTANDING QUALITY OF CUT

Dual Precision Adjustment (DPA) cutting units – featuring Toro's all new EdgeSeries™ reels and the EdgeMax™ Bedknife combine to deliver a consistent, high quality cut and superior after cut appearance, while reducing maintenance with improved reel edge retention.

SPECIFICATIONS

	NEW!						
	3550-D	3555 / 3575-D	5010-H	5410-D	5510-D / 5610-D	6700-D	7000-D
Engine	18.5 kW (24.8 hp)	18.5 kW (24.8 hp) Kubota®	18.5 kW (24.8 hp) Kubota with 48-volt battery pack†	27.5 kW (36.8 hp) Yanmar®	26.5 kW (36 hp) Kubota/ 36.5 kW (49 hp) Kubota/ 27.5 kW (36.8 hp) Yanmar/ 33kW (44.2 hp) Kubota	31.7 kW (42.5 hp)	36.5 kW (49 hp) 41 kW (55 hp)
Fuel	Diesel*	Diesel*	Diesel* / Electric	Diesel*	Diesel*	Diesel*	Diesel*
Width of Cut	210 cm	254 cm	254 cm	254 cm	254 cm	244/291/338 cm	307 – 320 cm
Height of Cut	6 – 25 mm**	6 – 25 mm**	6 – 25 mm***	6.4 – 25.4 mm**	6 – 25 mm***	9.5 – 44.5 mm	6 mm – 63.5 mm
Mowing Speed	0 – 11 km/h	0-11 km/hr	0 – 13 km/h	0 – 12.8 km/h	0 – 13 km/h	0 – 16 km/h	0 – 11 km/h
Reel Diameter	12.7 cm	12.7 or 17.8 cm	12.7 or 17.8 cm	12.7 cm	17.8 cm	17.8 cm	17.8 cm
4WD	Series-Parallel™	Series-Parallel™	Optional Cross-Trax™	Optional Cross-Trax™	Optional Cross-Trax™	Standard	Standard

*Kubota engines are Biodiesel ready for use up to B-20 (20% biodiesel and 80% diesel blend).

Yanmar engines are Biodiesel ready for use up to B-7

** Up to 38 mm with high height of cut kit. | *** Up to 51 mm with high height of cut kit.

† PowerMatch™ technology allows the Reelmaster 5010-H to provide 18.5 kW constantly and over 31 kW when conditions require.



Scan for video of the
NEW Reelmaster® 5010-H

Learn more at
Toro.com/GOLF



NEW!



Reelmaster 3555 / 3575-D

- Compact chassis with 3 wheel design for increased manoeuvrability
- Series-Parallel™ Traction for impressive hill climbing and hillside stability
- Light weight design



Scan for video of the
**NEW Reelmaster
3555/3575**

NEW!



Reelmaster 5010-H

- PowerMatch™ system supplies over 31kW (40hp) of power but only when conditions require
- Averages fuel savings of 20% to 30%
- Electric cutting units have over 100 fewer potential leak points
- Reduced maintenance costs



Reelmaster 3550-D

- 208 cm cutting width
- Turf-friendly tyres
- Superior traction of a Series-Parallel drive system
- Weighs only 900 kg*



Reelmaster 5410-D

- 12.7cm diameter reels designed for cutting northern, cool season turf grasses
- Precise Monitoring & Control
- Unparalleled Operator Comfort
- Simplified Maintenance



Reelmaster 5510-D

- Large 17.8cm diameter reels designed for cutting southern, warm season turf grasses
- Precise Monitoring & Control
- Unparalleled Operator Comfort
- Simplified Maintenance



Reelmaster 5610-D

- Turbo charged engine for the most challenging terrain and higher elevations
- Large 17.8cm diameter reels
- Precise Monitoring & Control
- Unparalleled Operator Comfort
- Simplified Maintenance



Reelmaster 6700-D

- Productive 3.7 hectares per hour
- Handles the tough conditions created by warm season grasses and high elevations
- Available in 5-gang and 7-gang configurations



Reelmaster 7000-D

- Multi-use, Heavy-duty reel mower
- Designed for toughest fairway and rough turf maintenance operations
- Precise Monitoring & Control
- Unparalleled Operator Comfort
- Simplified Maintenance

GREENS - WALKING

GREENS - RIDING

TRIM & ROUGH

FAIRWAY

CULTIVATION & DEBRIS

UTILITY VEHICLES

SPRAY & APPLICATION

SPECIALTY PRODUCTS

SAND PRO®

SAND PRO 2040Z · 3040 · 5040

The Toro® Sand Pro family has everything to get your course ready for play. With a variety of attachments, the Sand Pro is a versatile utility vehicle with as many uses outside the bunker as in it. The Toro Sand Pro keeps your bunkers in tournament condition every day.



QUICK ATTACH SYSTEM (QAS)

Allows Operators to easily switch from one attachment to another in less than a minute, with no tools required! Match the machine to the environment to get your course back into playing condition quickly. Rear QAS standard on the Sand Pro 3040 and Sand Pro 5040, and the front QAS is optional on the Sand Pro 5040.



3-WHEEL DRIVE SERIES/PARALLEL™ TRACTION DRIVE

Improves traction in wet or heavy working conditions to get the job completed quickly. In traditional 3WD units, all traction effort is lost as soon as one wheel slips. Series/Parallel ensures that you always have tractive effort with at least one wheel to keep your unit from getting stuck and losing precious time.

ATTACHMENTS



Front Flex Blade



Synthetic Turf Conditioner



Spring Rake



Rotary Lip Broom



Coco Mat



Finish Grader



Bunker Pump



Spiker



Solid Tine Scarifier Teeth
Leveling Blade



Nail Drag



Tooth Rake



Debris Blower



Manual Blade



Steel Drag Mat



Segmented Grooming
Broom



Spring Tine Teeth



Flex Tooth Rake



Scan for video of the
SAND PRO® 2040Z

Learn more at
Toro.com/GOLF



Sand Pro 2040Z ▲

The Sand Pro 2040Z is unmatched for manoeuvrability and productivity with power steering via independent control sticks. The new "flex" raking system with "lift in turn" feature enables an operator to turn tightly in bunkers without leaving unraked teardrops or tyre marks.



Sand Pro 3040 ▲

The Sand Pro 3040 is a solid performer that offers 3-wheel drive, a 11.9 kW (16 hp) engine and special acceleration valves for smoother start ups and fewer spinouts.



Sand Pro 5040 ▲

The Sand Pro 5040 is a powerful unit with a 13.4 kW (18 hp) engine. The Series Parallel™ 3-wheel drive traction system virtually eliminates spinouts and equips it to handle the most demanding bunkers.

SPECIFICATIONS

	Sand Pro 2040Z	Sand Pro 3040	Sand Pro 5040
Engine	10.1 kW (12.2 hp)	11.9 kW (16 hp)	13.4 kW (18 hp)
Fuel	Petrol	Petrol	Petrol
Traction Drive	2WD	3WD	3WD
Ground Speed	0 – 19.3 km/h	0 – 16 km/h	0 – 16 km/h
Wheel Base	147 cm	108 cm	108 cm
Weight	417 kg* / 439 kg**	421.8 kg	421.8 kg

* With Flex Tooth Rake. **With Nail Drag

GREENS - WALKING

GREENS - RIDING

TRIM & ROUGH

FAIRWAY

CULTIVATION & DEBRIS

UTILITY VEHICLES

SPRAY & APPLICATION

SPECIALTY PRODUCTS

PRO SWEEP® · PRO FORCE® DEBRIS BLOWER RAKE-O-VAC® · VERSA-VAC™

DEBRIS EQUIPMENT

From tee to green and everything in between, you can count on Toro®. Efficiently collect and dump aeration cores with the Pro Sweep. Clear dew and debris from greens and fairways with Toro debris blowers. Dispose of leaves and debris in the autumn with Toro vacuums and sweepers. Whether you have a PTO drive or want a self-powered machine, Toro has a machine for the job.



WIRELESS REMOTE CONTROL

Makes operating the Pro Force as easy as pushing a button. In addition to nozzle direction and throttle speed adjustments that can be made while towing the machine, the wireless remote control also provides convenient start/stop functionality.



TURBINE-TYPE FAN ASSEMBLY DESIGN

Allows for greater air flow to move debris further and finish the job faster. The Pro Force is designed for more productivity and efficiency in jobs ranging from cleaning cart paths and other maintained paved areas, to blowing grass clippings, aeration cores, chaff or other organic debris off fairways or greens. 4 specialty nozzles are available for use in a variety of applications.





Pro Sweep® ▲

Quickly sweeps up cores so the turf can be cleaned and ready for play in no time. The offset collection position prevents the tow vehicle from running over cores before they reach the sweeper.



Pro Force® Debris Blower ▲

Delivers industry-leading air power through a turbine-type design. An excellent performer on turf or pavement, the self-contained, engine-driven blower can be towed behind or mounted to the bed of any utility vehicle. Design allows the operator to adjust the airflow direction 360 degrees from the tow vehicle seat.



360 Pro Force Debris Blower ▲

This highly manoeuvrable and productive blower's left-to-right sweep allows better direction control of air flow. Attached to the front of the Groundsmaster® 360, it provides improved visibility, versatility and increased seasonality.



Debris Blower 600 ▲

Choose a PTO or self-powered Toro Debris Blower to generate turf-clearing winds of up to 246 km/h.



Rake-O-Vac® ▲

The compact Toro® Rake-O-Vac clears debris from even the tightest areas. Its 3.6 m³ hopper has the capacity for large jobs. A powerful engine sweeps turf clean and helps make the Rake-O-Vac the most manoeuvrable self-powered sweeper in its class. To save space in the hopper, a rugged impeller fan pulverizes debris.



Versa-Vac™ ▲

The Toro Versa-Vac tackles debris management challenges to meet your collection needs. The large capacity hopper makes even the biggest clean-up job simple. For operator ease, the deck and trailer operate hydraulically from convenient tractor seat controls.

SPECIFICATIONS

	Pro Sweep	Pro Force Debris Blower	360 Pro Force Debris Blower
Power & Towing Requirements	Vehicle: 30.3 l/min @ 2000 psi; Tractor: 18.6 kW (25 hp)	Engine	18.3 kW (24.6 hp)
Sweeping width	132 cm	Fan Type	Axial flow single stage turbine
Hopper Capacity	.71 m³	Fan Diameter	35.6 cm
Operating Speed	0 – 6.4 km/h		

	Debris Blower 600	Rake-O-Vac*	Versa-Vac*
Power Supply	18.6 kW (25 hp) tractor, PTO driven	Engine	17.2 kW (23 hp)
Air Flow	198.2 m³/min	Hitch	1.9 cm dia.
Fan Speed	1,173 rpm @ 540 PTO input	Hopper	3.6 m³
Fan Diameter	91 cm	Flex Tip Reel	155 cm
Fan Type	8-blade, radial design		

Power Supply	26.1 kW (35 hp) tractor, PTO driven
Operating Width	183 cm
Hopper Capacity	5 m³
Fan Impeller	81.3 cm diameter, 8-blade fan

PROCORE® · AEROTHATCH · SEEDER

PROCORE 648 · 864 · 1298 · CORE PROCESSOR
AEROTHATCH 83 · SEEDER 93

For greens, fairways, tee boxes and rough, Toro® offers a complete array of aeration and cultivation solutions to keep your course looking its best. The ProCore line of aerators has long been considered the leader for hole quality, durability and productivity. And for exceptional one-pass cultivation, the Toro Aerothatch 83/Seeder 93 is hard to beat.



TRUECORE™ SENSING SYSTEM

Automatically maintains tine depth “on the move” to match the ground undulations providing consistent coring depth of up to 10 cm.

SPECIFICATIONS

	PROCORE® 648	PROCORE 864	PROCORE 1298
Working Speed	1.23 – 2.42 km/h	1 – 4 km/h	1 – 4 km/h
Tractor Size	Self-powered by 17.2 kW (23 hp) engine	22.4 – 26.1 kW (30 – 35 hp)	29.8 – 37.3 kW (40 – 50 hp)
Aerating Width	122 cm	163 cm	249 cm
Aerating Depth	up to 102 mm	up to 127 mm	up to 127 mm
Tine Heads	6	8	12

	PROCORE CORE PROCESSOR		AEROTHATCH 83/SEEDER 93
Engine	26.1 kW (35 hp)	Swath	122 cm
Fuel	Petrol	Drive	PTO & ground powered
Operating Speed	0 – 8 km/h	Blade Depth	0 – 7.6 cm
Construction	Welded steel frame	Seed Hopper Capacity	45.4 kg
Hitch Systems	OnePass hitch	Seed Delivery	16 tubes & discs



Learn more at
Toro.com/GOLF



ProCore® 648 ▲

An innovative wheels-forward design eliminates the most common problem with greens aerators: crushed cores and damaged holes.



ProCore 864 ▲

Perfect for any turf area, thanks to a 152 cm width and a rugged triple-belt design. It delivers outstanding versatility and impressive core quality.



ProCore 1298 ▲

Designed for large turf areas, the ProCore 1298 provides exceptional productivity without compromising hole quality. The triple-belt design brings extra durability in tough conditions.



ProCore Core Processor ▲

This innovative product sweeps, processes and disperses aeration cores in one operation, reducing labour and returning the turf to play sooner than any other method.



Aerothatch 83 • Seeder 93 ▲

A unique Toro combination saves time by providing the efficiency of one-pass dethatching and seeding.

GREENS - WALKING

GREENS - RIDING

TRIM & ROUGH

FAIRWAY

CULTIVATION & DEBRIS

UTILITY VEHICLES


SPRAY & APPLICATION

SPECIALTY PRODUCTS

PROCORE[®]


PROCORE SR48 · SR54 · SR70 · SR54-S/SR70-S · SR72 · SR75

The ProCore SR Series deep-tine aerators are the ultimate choice for performance and quality. From lightweight, precision machines for sensitive turf to robust, heavy-duty machines that break up soil on even the most compacted surfaces, the ProCore SR Series will get the job done!



◀ Deep-Tine Aeration

Penetrates through the compaction layer that is created from traditional aeration methods. Penetrating this layer increases drainage, improves gas exchange, and promotes deeper root growth resulting in healthier, more vigorous turf.





ProCore® SR48 ▲

Designed for use in medium to heavy soil conditions, including soil with hard clay and other compacted surfaces. Features a working width of 122 cm and depths up to 36 cm.



ProCore SR54 ▲

The compact SR54 is designed for use on greens, tees and other turf areas with light to medium soil conditions. With a working width of 137 cm and depth capabilities up to 25 cm, it is ideal for smaller tractors.




ProCore SR70 ▲

For use on greens, tees, and other turf areas with light to medium soil, with a working width of 185 cm and depth capabilities of 25 cm. Similar design to the SR54, but adds 25% more productivity to its working width.



ProCore SR54-S/SR70-S ▲

Same width and depth capabilities as the SR54/SR70, with a dual roller design. Two rollers distribute the machine weight evenly for superior ground following on undulating surfaces.



ProCore SR72 ▲

Versatile to handle light or heavy duty aeration tasks, the SR72 is the most durable and ideal for aerating fairways, sports fields, greens, tees and other formal turf areas. Similar in design to the SR48, but with a working width of 183cm, and capable of depths up to 41cm.



ProCore SR75 ▲

The most rugged of the ProCore SR series aerators, the SR75 is designed to handle the toughest aeration tasks. Featuring a working width of 198 cm and capable of depths up to 41 cm.

SPECIFICATIONS

	PROCORE SR48	PROCORE SR54/SR54-S	PROCORE SR70/SR70-S	PROCORE SR72	PROCORE SR75
Working Width	122 cm	137 cm	185 cm	183 cm	198 cm
Working Depth	25-356 mm	25-250 mm	25-250 mm	25-406 mm	25-406 mm
Hole Spacing	75 – 150 mm	64 – 102 mm	64 – 102 mm	75 – 150 mm	75 – 150 mm
Productivity (at 10 cm hole spacing)	2,325 m ² /h	3,345 m ² /h	4,460 m ² /h	3,530 m ² /h	4,460 m ² /h
Recommended Tractor Size	18.6 kW (25 hp)	13.4 kW (18 hp)	26.1 kW (35 hp)	33.6 kW (45 hp)	41 kW (55 hp)

WORKMAN®

WORKMAN GTX

NEW!

Featuring an unequalled combination of comfort, utility and control, the new Workman GTX is simply superior to the competition. Its power, steering and exclusive suspension and braking systems make the Workman GTX the most versatile, practical, and comfortable utility vehicle in its class. Available in petrol or electric, The Workman GTX features over 300 configuration options; including front and rear attachments, a flat bed and a four-seat option. So whether you are setting cups, checking on irrigation, working around campus, or moving people or materials, the Workman GTX has the power and versatility to get the job done, better!



SUPERIOR SUSPENSION

Coil-over shocks on all four tyres deliver greater suspension travel and adjust-ability resulting in a smoother ride and minimized operator fatigue. We also made it the only vehicle in its class to feature a split frame to further increase ride comfort.

WATCH THE VIDEO

Toro.com/GTX





SUPERIOR VERSATILITY

The Workman® GTX is adaptable for any task. Two or four-seat configurations come with bench or bucket seats. Front and rear attachment points for garbage cans, hose reels or walk spreaders free up the bed for more hauling capacity. 1.2 m (4ft) and 1.8 m (6ft) flat beds are also available. With over 300 unique configurations available, you are sure to find the one that fits your needs.



SUPERIOR DETAILING ▼

With hydraulic disc brakes to minimize maintenance and provide consistent, safe stopping. Full access to the engine compartment makes servicing easy. Storage is abundant and two standard USB ports make a dead phone on the job a thing of the past.




SPECIFICATIONS

	MODEL 07130	MODEL 07131
Power System	429 cc, air-cooled, single-cylinder Kohler® petrol engine. Meets current EPA & CARB exhaust and evaporative emissions regulations.	48 volt A/C electric system featuring a single port fill system.
Fuel	Petrol	Electric
Cargo Bed	Width: 97.8 cm Length: 101.6 cm Height: 27.9 cm Capacity: 363 kg	
Towing Capacity	454 kg Class 1-32 mm receiver standard.	
Instruments/Dash	Hour meter, fuel gage, USB power port, headlight switch, on/off ignition key switch, gear selector and parking brake lever. Two cup holders, radio holder and three in-dash storage compartments.	Hour meter, battery level indicator, USB power port, headlight switch, on/off ignition key switch, gear selector and parking brake lever. Two cup holders, radio holder and three in-dash storage compartments.
Optional Accessories	Canopy, folding windshield, 4-seat configuration, flat bed, 1.8m (6ft) flat bed, bench seat, underhood storage, hose reel mounting bracket, walk spreader carrier, trash can mount, bed racking, electric bed lift, brush guard, 12V outlet, Brake/tail/signal lights, ROPS certified hard cab, horn kit, back up alarm kit, parking brake alarm kit, L-track attachment system and all-terrain tyre kit.	

WORKMAN®

WORKMAN MDX SERIES · HD SERIES

A good utility vehicle acts like an extension of your crew. Every day demands reliability, versatility and rugged performance – and the Toro® Workman delivers. Choose an agile mid-duty model or a heavy-duty model for your toughest tasks. A large cargo capacity and countless attachments will make a Toro vehicle one of the most valuable members of your team.



SUPERIOR RIDE QUALITY

SRQ™ – Represents the Superior Ride Quality you can expect every time you drive a Workman MD Series utility vehicle. The SRQ system starts with coil-over shock absorbers that cushion bumps in the terrain. Working together with an Active In-Frame™ twister joint that allows each axle to follow ground contours independently, operators will notice a smoother ride and all-day comfort. The Active In-Frame twister joint ensure all four wheels maintain contact with the ground for better control and traction over rough terrain.



UNMATCHED TOUGHNESS

The Workman HD series gets its remarkable strength from a rear DeDion axle built with an I-beam design. It gives the Workman superior vertical loading capacity by isolating the engine, transmission and mainframe from all load forces. The Workman HD is engineered with a truss-like front space frame for superior strength and rigidity, and a rear frame with a C-channel design for unsurpassed performance in hauling heavy loads.

Learn more at
Toro.com/GOLF





Workman® MDX Series ◀

Mid-duty utility vehicles with the exclusive Active In-Frame™ suspension. With the highest payload capacity in its class, the Workman® allows you to do more things with a single vehicle. Available in petrol and diesel options.



Workman HD Series ◀

Design components like an I-beam shaped DeDion rear axle, a truss-like front space frame, integrated wheel bearings and hydraulic disc brakes on all four wheels provide the highest total carrying capacity in the industry.

SPECIFICATIONS

	MDX	MDX-D
Motor/ Engine	480 cc	600 cc
Fuel	Petrol	Diesel
Bed Capacity	567 kg	567 kg
Towing Capacity	182 kg or 545 kg w/ heavy-duty hitch	182 kg or 545 kg w/ heavy-duty hitch

	HDX - AUTO	HDX-D 2WD	HDX-D 4WD	HD - AIR COOLED
Engine	14.9 kW (28 hp)	18.5 kW (23.3 hp)	18.5 kW (23.3 hp)	17.2 kW (23 hp)
Fuel	Petrol	Diesel	Diesel	Petrol
Bed Capacity	2WD: 1,316 kg 4WD: 1,303 kg	1,098 kg	1,071 kg	1,183 kg
Towing Capacity	1587.6 kg			

MULTI PRO[®]

MULTI PRO 1750 · WM · 5800-D

Toro[®] is the leading provider of dedicated turf spraying equipment, offering a complete line for any need or budget. Each Multi Pro incorporates the latest in sprayer technology with tanks ranging from 600 to 1100 litres. Attachments such as the Cleanload Eductor and Fresh Water Rinse Kit make these sprayers even easier to use and easier to maintain which saves effort and reduces costs.



Multi Pro 1750 ▲

Uses Toro's advanced spray system design from the proven Multi Pro 5800-D in a smaller package. Combined with cutting-edge sprayer controls and productive vehicle features, the result is one of the most advanced, efficient and accurate sprayers on the market.



Multi Pro WM ▲

Leverages the advanced spray system capability of Toro's Multi Pro 5800-D and combines this spray system functionality with cutting-edge and intuitive sprayer controls to create the most advanced and efficient and accurate bed-mounted sprayer accessory for a utility vehicle. Fits with the Workman HD or HDX utility vehicles.



Multi Pro 5800-D ▲

Combines advanced sprayer technology and innovation with optimised performance accuracy, aggressive agitation and faster response times to consistently and accurately apply desired spray rates. Highly productive work attachments and accessories save time and money by simplifying the mixing and spraying processes, and saving on labour and chemical costs.

Learn more at
[Toro.com/GOLF](https://www.toro.com/GOLF)





NEW!

ExcelaRate™ Rate Control System (for Multi Pro 5800-D)

Achieving precise application rates is simple and repeatable. Step-by-step calibration and memory of your two most commonly used rates saves time and increases accuracy.

1

Elliptical Chemical Tank

Thoughtfully designed tanks incorporate side-mounted agitation nozzles to ensure the homogeneous mixing of chemicals for application accuracy and consistency.

2

Ultra Sonic Boom Kit

Automatically maintains optimal boom height in undulating turf conditions with sensors and a dedicated controller.

3

Six Diaphragm Pump

A turf industry exclusive – this oversized pump satisfies the highest spray rates while simultaneously supplying generous agitation flow. Features a dry sump and self-priming design.



QuickFind™

Places command of all key vehicle and sprayer systems at the operator's fingertips for ease-of-use and improved control.



Fresh Water Rinse Kit

Simplifies and automates the triple-rinse process, saving hours of clean-up time.



Cleanload™ Eductor

An on-board mixing station for safely loading any product without the need to first mix a slurry.



GeoLink™ Precision Spray System

The industry's first turf-based precision spray system. Turf professionals will benefit from substantial chemical savings thanks to individual nozzle control and unsurpassed accuracy only from Toro. *Limited Availability.*

Accessories Available:

Covered Boom Shroud, Enclosed Cab, Sunshade Canopy, Electric Hose Reel, Pro Foam Marking Kit and a wide variety of nozzles.

SPECIFICATIONS

	MULTI PRO 1750	MULTI PRO WM	MULTI PRO 5800-D
Engine	20 kW (27 hp)	—	27.2 kW (36.5 hp)
Fuel	Petrol	—	Diesel
Ground Speed	0 – 18.5 km/h	—	0 – 16.1 km/h
Sprayer Tank	662 litre	757 litre	1,136 litre
Boom	5.6 meter, 3-section	5.6 meter, 3-section	6.1 meter, 3-section

GREENS – WALKING

GREENS – RIDING

TRIM & ROUGH

FAIRWAY

CULTIVATION & DEBRIS

UTILITY VEHICLES

SPRAY & APPLICATION

SPECIALTY PRODUCTS

TOPDRESSER · PROPASS · MH-400

TOPDRESSER 1800 · TOPDRESSER 2500 · PROPASS 200 · MH-400

From light topdressing to ultra-heavy material handling and everything in between, all jobs can be tackled by the Toro® line up of application and topdressing equipment.



WIRELESS REMOTE OPERATION

Allows real-time adjustments on the ProPass 200 and the MH-400 allowing you to make quick setting changes and store settings for future use. Base models feature a wired controller.



Topdresser 1800 ▲

Mounts to a Toro Workman® and delivers a precise, productive performance with up to 13 km/h topdressing speed. A remote on-off application lever allows precise control/placement from the operator's compartment.



Topdresser 2500 ▲

For maximum performance and power, the Topdresser 2500 has a 700 litre hopper capacity and 13 km/h topdressing speed for the toughest jobs. The all-wheel drive ensures a consistent application rate on uneven terrain.



ProPass 200 ▲

Broadcast-style topdressers provide application versatility, from ultra-light dustings to ultra-heavy aeration hole filling. The ProPass 200 delivers accurate spread patterns on the first pass. Tow behind or bed mounted versions available.



MH-400 ▲

Large capacity and performance provide versatility. The cross conveyor is ideal for completing bunker and greens renovations, cart path rebuilding, applying mulch, and more. Install the twin spinner for large area topdressing.



Learn more at
Toro.com/GOLF



SPECIFICATIONS

	TOPDRESSER 1800	TOPDRESSER 2500
Drive	Remote hydraulics to utility vehicle	Ground driven, self contained hydraulics
Hopper Capacity	502 litres	698 litres
Topdressing Width	152 cm	152 cm
Topdressing Speed	13 km/h	13 km/h
	PROPASS 200	MH-400
Hopper Capacity	540 litres (Struck); 710 litres (Heaped)	3,058.2 litres
Controls	Standard or Electronic Wireless	Standard or Electronic Wireless
Payload	905 kg	5,353 kg

GREENS - WALKING

GREENS - RIDING

TRIM & ROUGH

FAIRWAY

CULTIVATION & DEBRIS

UTILITY VEHICLES

SPRAY & APPLICATION

SPECIALTY PRODUCTS

HOVERPRO®

HOVERPRO® 400 · 450 · 500 · 550

The Toro® HoverPro is perfect for maintaining turf on steep slopes, tight undulations, areas near water or bunker lips. Capable of operating up to 45°, the HoverPro's are truly a versatile solution to maintaining challenging terrain. A light footprint makes the HoverPro easy to operate while its rugged design ensures years of quality performance.



Hi-Rise Kit
Simply bolt to existing deck to increase height.
(HP400 & HP450 only)



Transport Wheels
Makes machine easier to manoeuvre.
(HP450 / 500 / 550)



Extension Handles
Makes working on slopes even easier.
(HP450 / 500 / 550)



SPECIFICATIONS

	HoverPro 400	HoverPro 450	HoverPro 500	HoverPro 550
Cutting Width	40 cm	46 cm	53 cm	53 cm
Engine	Honda® GXV57	Honda GCV-135 (CE regions only) Honda GCV-160 (non-CE regions)	Honda GCV-160	Honda GCV-160
Max. Operating Angle	25°	45°	45°	45°
Cutter System	Nylon Line	Nylon Line (CE regions only) Steel Blade (non-CE regions)	Steel Blade	Steel Blade
Height of Cut	18 – 30 mm	18 – 30 mm	16 – 34 mm	16 – 34 mm



GREENSPRO®

GREENSPRO 1240



The Toro® GreensPro 1240 riding greens roller keeps your greens smooth and with an easy-to-use, operator-friendly design, this machine helps to give you the consistent, high quality surface the most demanding golfers expect. This is the perfect rolling tool for fine sporting turf such as golf greens, tennis courts and bowling greens. Turf that requires a smooth, high performance surface for optimum playing will benefit from precision greens rolling with the GreensPro.

GreensPro 1240	
Engine	Honda GX200 4.1 kW (5.5 hp) air-cooled, 4-stroke OHV; mechanically governed.
Fuel	Petrol
Rolling Width	120 cm
Ground Speed	Roll: 0 – 12.8 km/h

PROSTRIPE®

PROSTRIPE 560



The Toro ProStripe 560 combines exceptional turf striping with the simplicity of a walk power mower. It is the ideal choice for mowing formal lawns around pavilions or club houses. Golf applications are no challenge for this high quality, versatile mower.



SPLIT REAR ROLLER

The unique split rear roller with integrated differential enables tight turns with minimal risk of turf damage.

ProStripe 560	
Engine	Commercial grade Briggs & Stratton® 850 Series petrol with Readystart™
Fuel	Petrol
Bag Capacity	70 litres
Width of Cut	56 cm
Height of Cut	1.3 – 6 cm
Mowing Speed	4.4 km/h

GOLF IRRIGATION

Learn more at
toro.com/infinity



ONE SPRINKLER. COUNTLESS BENEFITS. **INFINITE POSSIBILITIES.**

The Toro® INFINITY® Series Sprinklers are designed with your course's future in mind. A patented SMART ACCESS® design enables you to add new technology for decades to come – using only a screwdriver.



Integrated Sprinkler
Toro valve-in-head
sprinkler models have
an integrated 2-wire
module option.



N AT ITS FINEST



Learn more at
toro.com/lynx

ALL YOUR IRRIGATION INFORMATION AT YOUR FINGERTIPS. ANYTIME. ANYWHERE.

With Lynx® Central Control System, easy set up installation and programming puts water exactly where you want it and makes edits as your course conditions change. The easy to use distinct user interface combines all essential data and intuitively presents the information you need at a glance. Your golf course is easy to control and manage with Lynx, by providing past, present and future course information from multiple sources into a single, intuitive interface.



TORO

TORO® GENU

**YOU DIDN'T BUY A GENERIC
MOWER. DON'T SETTLE FOR
GENERIC PARTS.**



INE PARTS

FOR PEACE OF MIND, **KEEP IT 100% TORO.**

You bought Toro genuine equipment because you could count on it to deliver the best performance and value for your money. Could there be a better reason to buy Toro genuine replacement parts? Add in our competitive prices, fast delivery time, and you'll see there's no substitute. Get Toro genuine replacement parts. The right choice.



TO LEARN MORE ABOUT **TORO GENUINE PARTS** VISIT WWW.TORO.COM



Toro is always there to help you care for your landscapes the way you want,
when you want, better than anyone else.



Count on it.



toro.com
Worldwide Headquarters
The Toro Company
8111 Lyndale Ave. So.
Bloomington, MN 55420 U.S.A.
Phone: (1) 952 888 8801
Fax: (1) 952 887 8258

©2016 The Toro Company.
All Rights Reserved.
Printed in the USA

200-6646 GB

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your distributor for details on all our warranties.



facebook.com/ToroCompany
twitter.com/TheToroCompany
youtube.com/ToroCompanyEurope