

TORO

SPORTS FIELDS & GROUNDS

EQUIPMENT CATALOG



INNOVATION

COMFORT

RELIABILITY

DURABILITY

PRODUCTIVITY

by design

www.toro.com

The TORO logo is displayed in white, bold, sans-serif capital letters inside a red rounded square.

EXPERT CARE FOR TURF.....

INNOVATION
by design

The Toro® Company helps customers preserve and beautify their outdoor landscapes with environmentally responsible solutions of customer-valued quality and innovation. Our mission is to be the leading worldwide provider of outdoor beautification products, support services, and integrated systems.

Since 1914, The Toro® Company has transformed the way professionals and homeowners care for their outdoor landscapes. We are a leading independent manufacturer and provider of outdoor maintenance and beautification products.

Our powerful combination of experience, creativity, strong brands, and innovative solutions has revolutionized the way customers care for their golf courses, sports fields, backyards, public grounds, and agricultural fields. We have shaped the industry by pioneering precision equipment and high-technology irrigation systems to satisfy even the most demanding perfectionist.

Today, customers around the world depend on Toro® to help them beautify, maintain, and irrigate their landscapes with a portfolio of brands that have enduring reputations in the industry of reliability, durability, quality, and craftsmanship.

Count on it.

PRODUCTIVITY
by design



CONTENT

RELIABILITY
by design

Walk Behind/Speciality Mowers



4 – 7

Zero Turn Mowers



8 – 9

Rotary Mowers



10 – 15

Reel Mowers / Flail Mower



16 – 19

Sprayers/Utility Vehicles



20 – 21

Turf Application Equipment



22 – 23

Turf Cultivation Equipment



24 – 25

Debris Products



26 – 27

Parts & Service Solutions



26 – 27

COMFORT
by design

WALK BEHIND MOWERS



Heavy Duty / Mid-Size Power Mowers

Toro® products are field-proven on golf courses, sports fields, public green spaces, commercial and residential lawns, and agricultural fields around the world. That's why many landscape professionals trust Toro® equipment to deliver the best for their properties and their bottom line. From commercial walk-behinds, to large area rotary and reels, Toro® commercial grounds equipment delivers productivity, profitability and a legendary quality of cut that will make you and your customers proud. That's our legacy of leadership and it's exactly what you'll get when you contact your local Toro® landscape contractor equipment dealer for more information today.

DURABILITY
by design

	ProLine™	ProLine™	TurfMaster™
Model	22291	22293	22205TE
Engine	Kawasaki, 179cc 4-cycle FJ180V	Kawasaki, 179cc 4-cycle FJ180V	Kawasaki, 179cc 4-cycle FJ180V
Fuel	Petrol / 1.8 Ltr	Petrol / 3.8 Ltr	Petrol/ 3.8 Ltr
Width of Cut	53cm	53cm	76cm
Blade Brake Clutch	-	Standard	Standard
Capability	Recycler & Collection	Recycler & Collection	Recycler / Collection/Side Discharge
Traction Drive	Fixed Speed	3-speed	Fixed Speed



ProLine™
(22291)

ProLine™
(22293)

TurfMaster™

With commercial grade engines and up to 6mm thick cast aluminium decks, on both these models offer excellent recycling and collecting performance all in one unit. Low hand arm vibration performance means extended productivity. ProLine mower Model 22291 is engineered to provide consistently outstanding performance for the long run. For optimal performance and productivity, choose the new ProLine mower Model 22293 with its maintenance-free 3-speed transmission, BBC, rugged tubular engine guard, steel skid plates on the deck, anti-scalp cup and more.

(Refer to Operator's Manual for full details).

This TurfMaster™ instantly increases contractor productivity with the 76cm/30" wide deck and unique twin blade cutting system. Which offers an excellent quality of cut whether recycling, collecting or side-discharging.

This TurfMaster offers savings of up to 40% on mowing time compared to a 53cm mower.



Mid-Size Hydro & Gear models

GrandStand™

Rugged, reliable Toro® T-Bar steering is easy to learn and Toro® TURBO FORCE® decks and Recycler mulching kits provide an unmatched quality of cut. Toro's mid-size mowers provide ease of operation, as well as comfort, productivity and performance.

With increased operator comfort, outstanding traction and handling, and an incredible after-cut appearance, the Toro® GrandStand takes stand-on mower innovation to another level. The compact size gives access through gates and tight spaces.

	MID-SIZE HYDRO	MID-SIZE GEAR	MID-SIZE HYDRO	GRANDSTAND™	GRANDSTAND™	GRANDSTAND™
Model	30069	30070	30071	74534TE	74536TE	74504TE
Engine	Kawasaki®, 603cc 4-cycle, OHV V-Twin, FS541V	Kawasaki®, 603cc 4-cycle, OHV V-Twin Air-Cooled, FS481V	Kawasaki®, 603cc 4-cycle, OHV V-Twin Air-Cooled, FS481V	Kawasaki®, 603cc 4-cycle, OHV V-Twin Air-Cooled, FS541V	Kawasaki®, 603cc 4-cycle, OHV V-Twin Air-Cooled, FS541V	Kawasaki®, 726cc 4-cycle, OHV V-Twin Air-Cooled, FX-691
Fuel / Capacity	Petrol / 19 ltr	Petrol / 18 Ltr	Petrol/ 18 Ltr	Petrol/ 29.5 Ltr	Petrol/ 29.5 Ltr	Petrol/ 40.0 Ltr
Width of Cut	82 cm, 91cm,122cm	91cm	91cm	91cm	102cm	122cm
Mowing Speed	Fwd: 0 - 10 km/h Rev: 3.5 km/h	Fwd: 0 - 7.5 km/h Rev: 3.7 km/h	Fwd: 0 - 8 km/h Rev: 3.2 km/h	0 -10 km/h	0 - 8 km/h	0 -16 km/h
Traction Drive	Twin Hydro-gear	5-speed, with reverse	Twin Hydro-gear	Individual pumps and wheel motors	Individual pumps and wheel motors	Individual pumps and wheel motors
Deck Options	Rear Discharge 82cm/91cm/122cm Flail Attachment	91cm - Recycling Kit	91cm - Recycling Kit	91cm - Recycling Kit	102cm - Recycling Kit	102cm - Recycling Kit



HoverPro™ Ideal for Undulating or Steep Areas

The HoverPro™ range offers the ideal mowing solution for areas where wheeled mowers leave a poor finish or are simply unable to perform. Though suitable for all terrains, HoverPros™ excel in mowing tough, undulating ground and steep slopes, allowing these areas to be maintained safely and effectively, even on slopes up to 45 degrees (except 02600 = 25°). The HoverPro's excellent hovering capability and absence of wheels minimises the risk of the mower dropping off the grass edge (which could result in turf damage and crushed edges), making these mowers an ideal choice for maintaining areas around flower beds or golf course bunkers.

INNOVATION
 by design

	HoverPro™ 400	HoverPro™ 450	HoverPro™ 500	HoverPro™ 550
Model	02615	02610	02604	02606
Cutting Width	40cm	46cm	51cm	53cm
Engine	Honda® GXV57	Honda GCV160	Honda GCV160	Honda GCV160
Capacity	57 cc	160 cc	160 cc	160 cc
Cutter System	Nylon - Line	Nylon - Line	Metal Bar Blade	Metal Bar Blade
Height of Cut	18-30mm	18-30mm	16-34mm	16-34mm



Optional Accessories

Hi- Rise Kit

Simply bolt to existing deck to increase height of cut by 35mm (02600 / 02602 only)




Transport Wheels

Makes machine easier to manoeuvre to and from cutting areas.(excludes 02615)



Extension Handles Wheels

Makes working on slopes or hard to reach areas even easier.(excludes 02615)



HoverPro™ Series

The Toro® HoverPro is perfect for maintaining turf on steep slopes, tight undulations, areas near water or bunker lips. Capable of operating up to 45°, the HoverPro's are truly a versatile solution to maintaining challenging terrain. A light footprint makes the HoverPro easy to operate while its rugged design ensures years of quality performance.

Cutting Systems

Nylon Wire – (HoverPro 400 & 450)



Steel Cutting Blade – (HoverPro 500 & 550)



ProStripe™ 560

The Toro ProStripe™ 560 is designed to provide the perfect cut and elegant striped finish to any lawn area. The ideal choice for mowing formal lawns around pavilions or club houses. Golf applications are no challenge for this high quality, versatile mower.



TORO INNOVATION

The unique split rear-roller with integrated differential enables tight turns with minimal risk of turf damage.



Key



Stripe Finish



Operating up to Max 45 degree

ProStripe™ 560

Model	02656
Engine	Commercial grade Briggs & Stratton® 850 Series petrol with Readystart™
Bag Capacity	70 Ltr
Width of Cut	56cm
Height of Cut	13 – 60mm
Mowing Speed	4.4 km/h

ZERO TURN MOWERS



Toro® Z-Master® Series

The Toro® Z Master Professional 6000 Series represents Toro's next generation of zero-turning radius mowers. Everything added to this series was developed with the landscape contractor in mind. It's technology that refines the Z Master® to make a great commercial mower even better. The Toro® Z Master® Professional 7000 Series brings power for demanding jobs. Need to power through tough mowing conditions that would strain conventional petrol-powered mowers! Choose from responsive, liquid-cooled, high-torque diesel engines for a wide array of turf maintenance requirements.

PRODUCTIVITY
by design

TORO INNOVATION

TURBO FORCE® deck shells are constructed entirely from 4.5mm steel - top, front, sides and rear. In fact, these decks utilize high strength steel, which is 31% stronger than the ordinary 4.5mm commercial steel found in other decks. Toro combines toughness with precision by using 6 mm thick flex-resistant blades, massive spindle assemblies, a rubber discharge chute and a rugged bull-nose front bumper. Fine tune the performance to adapt to site conditions for a quality cut and beautiful after-cut appearance. Recycler® kit option available.





Z Master® Commercial 2000 Series

Trusted by landscape professionals, the Z Master® Commercial 2000 Series Zero-Turn Riders are a terrific value in commercial-grade equipment. Packed with features like the comfortable custom-designed seat, a standard deck lift assist pedal, and TURBO FORCE® cutting decks, these mowers are designed for productivity.

Z Master® Professional 6000 Series

The Toro Z Master® Professional 6000 Series is the next generation of zero-turning radius mowers. With industry leading performance features like TURBO FORCE® cutting technology, and the toughest spindle assemblies, Toro® has improved comfort, enhanced traction and control. With a low centre of gravity, they have more stability for greater handling on hills.

Z Master® Professional 7000 Series

The Z Master® Professional 7000 Series mowers are the pinnacle of the Z Master® line. Agile, full-size Z Master® mowers that boast the revolutionary TURBO FORCE® decks for unsurpassed cutting quality and durability.

Z Master® Professional 8000 Series

For application that requires grass collection the 8000 Series is the right choice. With ground speeds up to 11 km/h, the 8000 Series is the answer for a perfect cut in less time. The rear-discharge deck lets you trim on either side while keeping flower beds and walkways clipping-free.



Z-Master® Commercial 2000 Series

Model	74142TE
Engine	Kawasaki® FX691V 20.5HP
Fuel / Capacity	Petrol / 30.3 Ltr
Width of Cut	122cm
Cutting Deck	TURBO FORCE Side Discharge
Mowing Speed	0-13 km/h

Z-Master® Professional 6000 Series

	74902TE	74919TE	74925TE	74942TE
Model	74902TE	74919TE	74925TE	74942TE
Engine	Kawasaki® FX651V 726cc	Kawasaki® FX691V 726cc	Kawasaki® FX801V 852cc	Kawasaki® FX801V 852cc
Fuel / Capacity	Petrol / 45 Ltr			
Width of Cut	122cm	132cm	152cm	152cm
Cutting Deck	TURBO FORCE Side Discharge	TURBO FORCE Side Discharge	TURBO FORCE Side Discharge	TURBO FORCE Rear Discharge
Mowing Speed (Fwd/Rev)	0-16 km/h	0-18.5 km/h	0-18.5 km/h	0-18.5 km/h

Z-Master® Professional 7000 Series

	Z-Master® Professional 7000 Series			Direct Collect 8000 Series
Model	74279TE	74264TE	74265TE	74311TE
Engine	Kubota® 16.6 kW (23 hp)	Kubota 16.6 kW (23 hp)	Kubota 16.6 kW (23 hp)	Kohler 15.2 kW (20.5 hp)
Fuel / Capacity	Diesel / 45 Ltr	Diesel / 45 Ltr	Diesel / 45 Ltr	Gasoline / 28 Ltr
Width of Cut	132cm	132cm	152cm	122 cm
Cutting Deck	Rear Discharge	TURBO FORCE Side Discharge	TURBO FORCE Side Discharge	Commercial Rear Discharge
Mowing Speed	0-18 km/h	0-18 km/h	0-18 km/h	0-8 km/h

ROTARY MOWERS



Toro Groundsmaster®

Toro® Groundsmaster® rotary mowers are the workhorses of a grounds maintenance operation. They don't get days off, they're used year-round for cutting grass, blowing leaves and plowing snow. No matter where you look on a Groundsmaster®, from 7-gauge welded steel cutting decks to ultra-reliable Kubota® diesel engines and the industry's toughest spindle assembly – you can take comfort in knowing that these products are built to perform in your toughest conditions.

INNOVATION
by design

Toro High Lift Collection System

Gain even more versatility with this new Powerful Hydraulic Lift Collection System even in wet conditions, with its large 1000Lts collection capacity. Which can easily be emptied straight into a works vehicle.



See the High Lift Collection System Animation for more detail



Unique to Toro, gain versatility and an unmatched level of manoeuvrability. Offering a wide range of accessories for multi applications, its 2.54m center-mount deck takes productivity to a new level, without compromising on operator visibility or comfort.



Groundsmaster® 7200/7210

The Groundsmaster® 7200 is powered by the 20.9 kW (28 hp) Kubota® diesel engine while the Groundsmaster 7210 is powered by the 26.1 kW (35 hp) Kubota® turbo diesel engine. Both have four available mowing deck configurations. The zero turn steering increases mowing productivity and manoeuvrability around trees and other obstacles.

Groundsmaster® 7200/7210 Polar Trac™ System

Convert the Groundsmaster® 7200/ 7210 into a powerful snow removal machine in less than 4 hours. The patent-pending Polar Trac™ system is ready for all winter conditions with its heated hard cab, innovative rubber track system and quick-connect attachments.

Groundsmaster® 3280-D

These compact rotary mowers deliver impressive manoeuvrability, exceptional power, and quality performance as well as extremely versatile machines with a variety of cutting decks and attachments.



Groundsmaster® 3400

These out-front rotary mowers combine power, performance, and reliability. Added features for fast and easy maintenance can reduce down time. The optional full-weather ROPS cab protects the operator, for comfort and increased productivity.

Groundsmaster® 360

The Groundsmaster 360 reinvents the way a mower performs. Revolutionary Quad-Steer all wheel steering maximizes productivity. Climb hills without slipping. Make 180° turns without tearing turf. Hug the turns or side hills while mowing in total comfort. Save time without sacrificing quality with intuitive controls and unparalleled manoeuvrability.

Recycler® Groundsmaster® 360

The 183cm (72") Guardian® Recycler® deck is engineered with a patented, vertical discharge system that forces clippings to be cut and re-cut again. Other Deck on offer are the 183cm (72") rear discharge deck for tall or thick grass. Finally, the 183cm (72") side discharge deck.

	GM7200/7210	GM3280-D	GM3400	GM360
Model	30495 / 30487	30344 / 30345	30651	2WD / 4WD / 4WD+CAB 31230 / 31223 / 31222
Engine	Kubota® 18.6 kW (24.8 hp) / 26.1 kW (35 hp)	Kubota 18.5 kW (24.8 hp)	Kubota V1505 25.5 kW (35.5hp)	Kubota V1505 26.8 kW (36 hp)
Fuel / Capacity	Diesel / 51.1 Ltr	Diesel / 51.1 Ltr	Diesel / 51.1 Ltr	Diesel / 51.1 Ltr
Width of Cut	152cm/157cm/183cm/254cm	152cm/157cm/183cm	157cm/183cm	152cm/157cm/183cm/254cm
Mowing Rate	2.2 - 2.6 hectares/hr**	2.2 - 2.6 - 3.6 hectares/hr*	2.2 - 2.6 - 3.6 hectares/hr*	2.2 - 2.6 - 3.6 hectares/hr**
Traction Drive	2WD	2WD/4WD	4WD	2WD/4WD
Ground Speed	0 - 20 km/h	0 - 20 km/h	0 - 20 km/h	0 - 22.5 km/h

*Assuming 8 km/h mowing rate. Actual mowing rates may vary depending on operator and conditions.
 **Assuming 14 km/h mowing rate. Actual mowing rates may vary depending on operator and conditions.

ROTARY MOWERS



Toro Wide Area Groundsmaster®

Groundsmaster® wide area rotary mowers are the standard by which all other mowers are measured. With cutting widths up to 488cm wide, you can mow down an hectare of grass in less than 8 minutes. The brawny frames and welded steel cutting deck construction ensure a long life and a solid return on your investment. Despite their rugged appearance, these mowers are surprisingly nimble and offer tight turning for unmatched manoeuvrability and more productive trimming.

INNOVATION
 by design

	GM4000-D/4010-D	GM4100-D/4110-D	GM5900/5910	
Model	30605/30609/30635/30636	30604/30608/30643/30644	31698 / 31599TE CAB	
Engine	30605 & 30635: Yanmar* 4TNV84T 30609 & 30636: Yanmar 4TNV86CT	30604 & 30643: Yanmar 4TNV84T 30608 & 30644: Yanmar 4TNV86CT	Yanmar 53.7kw (72 hp)	Cummins* 73.8 kW (99 hp)
Fuel	30605 & 30635 :Diesel; 30609 & 30636: Ultra-low Sulfur Diesel (<15 ppm)	30602, 30604, 30447 & 30449: Diesel; 30606 & 30608: Ultra-low Sulfur Diesel (<15 ppm)	Diesel	
Width of Cut	346cm	323cm	145cm - 488cm	
Mowing Rate	4.3 hectares/hr*	4.0 hectares/hr*	8.4 hectares/hr*	
Traction Drive	4WD	4WD	4WD	

SMART POWER



Groundsmaster® 4100 - D

This innovative wide area rotary mower features an all out-front mower deck for superior operator visibility and outstanding productivity. Excellent trimming capability to manoeuvre around obstacles with ease, mow a zero uncut circle, for back and forth patterns leaving no uncut grass. Patented traction system lets you mow with confidence, even on hills and wet grass.

SMART POWER



Groundsmaster® 4000 - D

Delivers power where you need it most - to cut grass, no matter how challenging the conditions. With Smart Power™ technology, high engine torque and patented, efficient deck drive systems, these mowers are designed for productivity.



Cab - Groundsmaster® 4010-D/4110 - D

Features a low profile roof with full climate-control. This safety cab, has full rollover protection and a pressurized air filtration system that keeps dust and debris away. With a full recycle Cabin air option and x5 air vents.



See the Cab Animation



Groundsmaster® 5900 - D/5910 - D

This wide area rotary mower provides 4.9 m productivity while still providing precise manoeuvrability. This durable proven performer can mow up to 8.4 hectares per hour and trim less than an 18 degree circle around trees. The three independent rear discharge cutting units quickly raise or lower on the fly.

SMART POWER



TORO INNOVATION

From the inexperienced operator to a seasoned veteran, the Smart Power feature allows you to reach maximum productivity with improved fuel efficiency, preventing the machine from slowing down in heavy cutting conditions.

This feature keeps the blade speed at its optimum rate in any condition by automatically adjusting the traction unit ground speed, to provide more power to the blades when needed.



See the SMART POWER explained

ROTARY MOWERS



Toro Groundsmaster® Contour

Toro Groundsmaster® contour rotary mowers provide attractive turf striping for your premier grounds areas and sports fields. The free-floating Contour™ Plus cutting units deliver a superior cut and after cut appearance with the maintenance ease of a rotary mower. With a variety of products ranging from 173cm to 3.8 m width of cut, Toro has a contour Groundsmaster® rotary mower to meet the specific needs of your organization.

PRODUCTIVITY
by design

TORO INNOVATION

Smart Cool



Now you can reduce downtime with our exclusive SmartCool™ System. Before things get too hot, SmartCool briefly reverses the cooling fan to blast chaff and debris from the air intake screens. The innovative Toro SmartCool™ System, along with regular maintenance of the cooling system, keeps the operator on the job and moving forward.





Groundsmaster® 3500-D Sidewinder

This revolutionary triplex rotary mower (173cm width of cut) is designed for superior performance mowing. The free-floating Contour™ Plus cutting units allow mowing of undulating terrain without scalping. The powerful 26.1kW (35hp) Kubota® turbo-diesel engine and exclusive Series/Parallel traction drive system get the mowing job done quickly.

Groundsmaster® 3505-D

Three independent, Contour Plus 69cm cutting units provide superior performance for this rotary mower, cutting as low as 19 mm. The design incorporates full deck rollers to deliver a precision cut and a high-quality striping effect on your sports fields. With the productive 183cm width of cut, you can stripe your football, baseball or soccer field up to 20 minutes faster.



Groundsmaster® 4300

The Groundsmaster® 4300 (229cm width of cut) has a lightweight footprint and CrossTrax™ 4-wheel drive for superior hill-climbing. Each of its five Contour Plus cutting units closely follow contours for an even cut on undulating terrain.

Groundsmaster® 4500-D/4700-D

The Toro® Groundsmaster® 4500-D (277cm width of cut) and 4700-D (381cm width of cut) are an unprecedented blend of powerful productivity and refined results. With a powerful turbo-diesel engine under the hood, and Contour Plus engineering inside the cutting units, you will achieve a quality of cut typically reserved for smaller trim mowers.

	GM3500-D	GM3505-D	GM4300	GM4500-D	GM4700-D
Model	30839	30849	30853	30873 / 30881	30874/ 30882
Engine	Kubota 26.1 kW (35 hp)	Kubota 18.5 kW (24.8 hp)	Kubota V1505-T-E3B 32.8 kW (44 hp)	30881: Yanmar® 4TNV86CT 30873: Yanmar 4TNV84T	30882: Yanmar 4TNV86CT 30874: Yanmar 4TNV84T
Fuel	Diesel	Diesel	Diesel	30873: Diesel; 30881: Ultra-low Sulfur Diesel (<15 ppm)	30874: Diesel; 30882: Ultra-low Sulfur Diesel (<15 ppm)
Width of Cut	173cm	183cm	229cm	277cm	381cm
Mowing Rate	1.7 hectares/hr	1.7 hectares/hr	2.2 hectares/hr	3.1 hectares/hr	4.3 hectares/hr
Traction Drive	3WD	2WD	4WD	4WD	4WD

See Commercial Equipment Guide for complete specifications.

REEL MOWERS



Toro Reelmaster®

Toro® reel mowers are designed to deliver the performance and durability you've come to expect from Toro®. Designed to reduce weight, enhance mowing performance, improve operator comfort, and simplify maintenance. All this paired with Toro's revolutionary Dual Precision Adjustment (DPA) cutting units gives you the ability to achieve the quality of cut you want at the maintenance level you need.

PRODUCTIVITY
by design

	RM3100	RM3550-D	RM7000-D
Model	03170/03171	03910	03781
Engine	Kubota® 16.0 kW (21.5 hp)	Kubota 18.5 kW (24.8 hp)	Yanmar 41 kW (55 hp)
Fuel	Diesel	Diesel	Diesel
Width of Cut	183cm/216cm	208cm	307cm
Height of Cut	6 mm - 63.5mm	6 mm - 25mm**	6 mm - 63.5mm
Mowing Speed	0-10 km/h	0-11 km/h	0-11 km/h
Transmission	3WD	Series/Parallel 3WD	4WD



Reelmaster® 3100-D Sidewinder

The only reel mower with Sidewinder® technology that slides the cutting units side-to-side, on the fly, to reach turf that other mowers cannot.



Reelmaster® 3550-D

The Reelmaster 3550-D floats effortlessly over contours in sports fields. With a productive 208cm cutting width, turf-friendly tires, the superior traction of a Series/Parallel 3-wheel drive system, and a weight of less than 907 kg,* the Reelmaster® 3550-D is engineered to make a big impression...without leaving one.

* Gross vehicle weight for standard configuration, including five 46cm cutting units, with no optional accessories.




Reelmaster® 7000-D

The Reelmaster® 7000-D is a multi-use, heavy-duty reel mower, designed for productivity and performance in the most extreme conditions. The DPA cutting units manicure, turf and save time with easy set-up and long-lasting adjustments. A 41 kW (55 hp) Yanmar diesel engine, high-torque reel motors, and the SmartCool™ auto-reversing fan, along with a 307cm (121") width-of-cut ensure this mower has it all – power, productivity, and superior after-cut appearance.



TORO INNOVATION

Toro's EdgeMax™ bedknife is designed with a tool-steel insert to maximize edge retention and wear life up to 3-times longer than standard bedknives. This innovative design significantly reduces the frequency and cost of maintenance over the life of the reel.



LARGE AREA REEL & FLAIL MOWERS



Toro® Heavy-Duty Reel Mowers

The heavy-duty reel mower range from Toro® is designed to provide the durability and performance commonly associated with the Groundsmaster® products but with the finish of a reel mower. With a broad range of available models, each varying in performance and productivity, and an extensive selection of cutter units and accessories provide you the opportunity to fine-tune your selection to meet your needs. From fine turf to heavy-duty municipal mowing, these mowers ensure the quality and performance you desire.

PRODUCTIVITY
by design

TORO INNOVATION

The Mk3 cutter unit features on Toro's heavy-duty reel mowers. Their design and construction has evolved over many years through a detailed understanding of the commercial mowing environment and feature a more aggressive blade angle with increased points of contact with the bed knife promoting a more balanced, even wear of the reel and superior impact resistance when compared to golf-specific reels.

Available in 200 mm and 250 mm diameters with numerous blade options from 4 to 10-blades*, cutting fine-turf applications such as golf fairways or polo fields to densely packed overgrown municipal grass – more typical of rotary mowing conditions are no challenge for these cutting units, providing a 1st class reel mower finish.

*10-blade reels are only available in 200 mm diameter.





CT2240 - Compact Triple



LT3340 - Heavy Duty Triple



T4240 - Heavy Duty 5 Unit Mower

The CT2240 compact reel mower is designed for operating in areas of restricted access or limited manoeuvrability. It comes with 4-wheel drive transmission as standard, independent cutter head operation and a wide range of cutter reel options. Also features a variable cutting width from 76cm to 212cm to ensure optimum productivity at all times.

The LT3340 is designed to meet the most demanding requirements, offering the ideal blend of durability, productivity and power to ensure efficient, high-quality turf-maintenance.

A powerful 26.5 kW diesel engine, independent cutter unit control. Also with a choice of either 200mm or 250mm diameter reels, the LT3340 offers the ideal solution to heavy-duty reel mowing.

The wide-area reel mower designed for heavy-duty mowing operations. With the ability for the operator to use one or all of the five heavy-duty cutting units at any time - providing a cutting width up to 346cm, the T4240 provides superb levels of versatility and flexibility, suiting both large open areas and more confined spaces. Excellent all-round visibility from the operator's seat allows precision operating up to and around obstacles, helping ensure a safer and more productive operation - even with the optional full weather cab fitted.



TM5490/7490 - 5 & 7 Unit Reel

Maximize your investment! Through already making an investment in a tractor, why not make this investment work even smarter? Offering the ideal solution to high-output tractor drawn mowing. Available as either the TM5490 or TM7490 with 5 or 7 independent articulating cutter units and numerous reel options, a first class finish results across a broad range of applications, including fairways, polo arenas, municipal parklands, sports fields and educational facilities.



NEW LT-F3000™ - Commercial Triple Flail

Designed to meet the challenges presented by restricted budgets, and increasing demands of maintaining both short and long grass, the LT-F3000 delivers superior productivity, lower operating costs, easy servicing and maximum usability. This unique machine is the ideal choice for you to increase the length of time between cuts whilst retaining a premium finish. It has been specifically designed to save you both time and money!

	CT2240	LT3340	T4240	LT-F3000
Model	30654	30657	02750	30659
Engine	Kubota D1105 18.7 kW (25 hp)	Kubota V1505 26.5 kW (35.5 hp)	Kubota V2203, 35.3 kW (47.3 hp)	Kubota V1505T 33 kW (44.2 hp)
Fuel	Diesel	Diesel	Diesel	Diesel
Width of Cut	212cm	212cm	346cm	212cm
Height of Cut	12 mm - 80 mm	12 mm - 80 mm	12 mm - 80 mm	20 mm - 75 mm
Mowing Speed	fwd: 0-22 km/h; rev: 11 km/h	fwd: 0-25 km/h; rev: 11 km/h	0-22.5 km/h; rev: 11 km/h	fwd: 0-25 km/h; rev: 11 km/h
Mowing Rate	2.0 Hec/Hr	2.0 Hec/Hr	3.2 Hec/Hr	2.0 Hec/Hr
Traction Drive	4WD	4WD	4WD	4WD
TUV Homologated	Yes	Yes	Yes	Yes
Cutting Unit	Reels 200mm dia 4,6,8 or 10 blade	Reels 200mm or 250mm dia 4,6,8 or 10 blade		Sixteen fine cut, Tempest™ flail blades per head

	TM5490	TM7490
Model	02700	02701
Tractor Requirements	min. 33.6 kW (45 hp) @ 540 rpm PTO	min. 52.2 kW (70 hp) @ 540 rpm PTO
Height of Cut	12 mm - 80 mm	12 mm - 80 mm
Mowing Rate	3.3 Hec/Hr	4.5 Hec/Hr
Cutting Unit Reels	200mm or 250mm diameter 4,6,8 or 10 blade	

*Assuming 8km/h mowing rate. Actual mowing rates may vary depending on operator and conditions

See Commercial Equipment Guide for complete specifications

SPRAYERS / UTILITY VEHICLES



INNOVATION
 by design

Multi Pro® / Workman® Utility

Turf spraying is a precise and delicate task, one that is vital to the health and appearance of your turf. Toro® rises to the challenge with the Multi Pro® and Workman® Sprayer systems. Convert from hauling to spraying in as little as 30 minutes. Get more work done with the hardest working utility vehicles on the market today. Toro® Workman® utility vehicles deliver exceptional power, payload, versatility and reliability. Improve your return on investment through the strength and durability of a Workman®.

TORO INNOVATION

Trees, benches and other objects are no match for the rugged boom design on the Multi Pro. A triangular truss frame design protects the spray nozzles from direct impact. Combined with the breakaway boom design, it's the ultimate defense against unexpected impact.

	Workman® MD	Workman® MDX	Workman® MDX-D	Workman® MDE	Workman® HD Series
Model	07266TC	07273TC/07235TC	07259TC/07236TC	07299TC	07384TC, 07385TC, 07386TC, 07387TC, 02790TC
Engine	Yamaha® 357 cc (12hp)	Briggs & Stratton® 480 cc (14hp)	Kubota® 599 cc (19hp)	48 Volt DC motor with external fan	32.5, 24,8,28,32.5, 24.8 hp
Fuel	Petrol	Petrol	Diesel	8 6-volt T145 batteries	Diesel or Petrol
Total Capacity	567 kg	750 kg	750 kg	545 kg	1252 kg - 1364 kg
Towing Capacity	363 kg with heavy-duty hitch	545 kg with heavy-duty hitch	545 kg with heavy-duty hitch	363 kg with heavy-duty hitch	1587 kg with trailer brake



Multi Pro® WM

Features a 757 litre application tank that mounts to your Workman® HD Series utility vehicle.

Multi Pro® 1750

Sprayers are equipped with a positive displacement diaphragm pump tied directly to the speed of the vehicle, which allows the application rate to remain constant over a wide speed range.

Multi Pro® 5800-D

The Toro® Multi Pro® 5800 combines advanced sprayer technology and innovation with optimized performance accuracy, aggressive agitation and faster response times to consistently and accurately apply desired spray rates. Highly productive work attachments and accessories save time and money by simplifying the mixing and spraying processes, and saving on labor and chemical costs.

	Multi Pro® WM	Multi Pro® 1750	Multi Pro® 5800-D
Model	41240	41188	41593
Sprayer Tank	757 Ltr	662 Ltr	1136 Ltr
Boom	564cm, 3-section	564cm, 3-section	564cm, 3-section



Workman® MD/MDX/MDX-D/MDE Series

Achieve enhanced productivity and experience optimum operator comfort with Superior Ride Quality (SRQ™) and the highest total carrying capacity in its class of turf utility vehicles.

Workman® HD/HDX/HDX-D Series

Unmatched work capability with up to 1364 kg total carrying capacity and 1587 kg towing provide you the ability to accomplish your most demanding jobs.

Workman® GTX-D Series

The Workman GTX is a grounds and turf crossover vehicle. Its increased power, improved steering and exclusive suspension and braking systems make this most versatile, practical and comfortable utility vehicle in its class. Available in gas or electric, The Workman GTX features over 300 configuration options.

	Workman® GTX	Workman® GTX
Model	07130	07131
Engine	Toro 357 cc (12hp)	Briggs & Stratton® 480 cc (14hp)
Fuel	Petrol	Petrol
Total Capacity	544kg	544kg
Towing Capacity	454kg with heavy-duty hitch	454kg with heavy-duty hitch

TURF APPLICATION EQUIPMENT



Turf Application

From light topdressing to ultra-heavy material handling and everything in between, all jobs can be tackled by Toro's complete line up of application and topdressing equipment.

INNOVATION
by design

TORO INNOVATION

Wireless Remote Operation – Wireless controllers allows real-time adjustments on the ProPass 200 and the MH400 allowing you to make quick setting changes and store settings for future use. Base models feature a wired controller.





ProPass 200

Broadcast-style topdressers provide application versatility, from ultra-light dustings to ultra-heavy aeration hole filling. The ProPass 200 delivers accurate spread patterns on the first pass. Tow behind or bed mounted versions available.

MH-400

Large capacity and performance provide versatility. The cross conveyor is ideal for completing bunker and greens renovations, cart path rebuilding, applying mulch, and more. Install the twin spinner for large area topdressing.



Topdresser 2500

For maximum performance and power, the Topdresser 2500 has a 700 litres hopper capacity and 13 km/h topdressing speed for the toughest topdressing jobs. The all-wheel drive ensures a consistent application rate on uneven terrain.

	ProPass 200	MH-400
Model	44701/44751	44931/44954
Hopper Capacity	540 Ltr (Struck); 710 Ltr (Heaped)	3060 Ltr
Controls	Standard or Electronic Wireless	Standard or Electronic Wireless
Payload	905 kg	5353 kg

	Topdresser 2500
Model	44507
Drive	Ground driven, self contained hydraulics
Hopper Capacity	698 Ltr
Topdressing Width	152cm
Topdressing Speed	13 km/h

See Commercial Equipment Guide for complete specifications

TURF CULTIVATION EQUIPMENT



Turf Cultivation

A comprehensive cultivation program that includes aeration and topdressing is essential in creating and maintaining beautiful, healthy turf. But sometimes, beauty is only skin deep. Long term health and vigor requires effort beyond the turf canopy, through the entire soil profile. No matter what your objective is, Toro® offers a complete line of innovative solutions to help turf managers meet their cultivation needs.

PRODUCTIVITY
by design

	ProCore Processor	PC 648	PC 864	PC 1298
Model	09749	09200	09715	09716
Power Supply	31hp	17.2 kW (23 hp) engine	22.4 kW (30 hp) tractor	33.6 kW (45 hp) tractor
Working Speed	0-8km/h	1.2 - 2.4 km/h	0 - 4.2 km/h	0 - 4.2 km/h
Aerating Width	178cm	122cm	163cm	249cm
Aerating Depth	-	Up to 102 mm	Up to 127 mm	Up to 127 mm

	PC SR48	PC SR54/PC SR54-S	PC SR70/ PC SR70-S	PC SR72	PC SR75HD
Model	09930	09931/09932	09933/09934	09935	09936
Power Supply	18.6 kW (25 hp) tractor	13.4 kW (18 hp) tractor	26.1 kW (35 hp) tractor	33.6 kW (45 hp) tractor	41.0 kW (55+ hp) tractor
Working Speed	1.3 - 2.1 km/h	2.4 - 4.0 km/h	2.4 - 4.0 km/h	1.3 - 2.4 km/h	1.3 - 2.4 km/h
Aerating Width	122cm	137cm	185cm	183cm	198cm
Aerating Depth	Up to 356 mm	Up to 254 mm	Up to 254 mm	Up to 406 mm	Up to 406 mm

See Commercial Equipment Guide for complete specifications



ProCore® Processor

New patent-pending innovation in core processing that sweeps, processes and disperses aeration cores in one operation, reducing labour and getting the turf back in play, sooner than any other method.

ProCore® SR Series Deep-Tine Aerators

The ProCore® SR Series Deep-Tine aerators are the ultimate choice for performance and durability. The ProCore® SR Series features a hydraulic depth adjustment which allows the operator to change tine depths from the seat of the tractor, increasing productivity of the aeration process.



ProCore® 648 Aerator

With its efficient 122cm coring width, the ProCore® 648 delivers high productivity and performance in a walk aerator.

ProCore® 864/1298 Aerators

Smooth operation combined with incredible 163cm and 249cm aeration widths maximizes productivity. Independent articulating coring heads on the 1298 provide superior ground following and consistent hole depth.

TORO INNOVATION

The ProCore® precision-balanced coring head eliminates hopping, rocking and unnecessary vibration. This exclusive system makes the ProCore® 648, 864 & 1298 the smoothest operating aerators on the market.





Turf Cultivation

Whether you have leaves, twigs, pine needles, grass clippings or other organic debris to clear, Toro® has a solution that will efficiently and productively get the job done. Toro's debris management products will save you time and labour cost by getting your grounds cleaned up faster.

INNOVATION
by design

TORO INNOVATION

The new Pro Force™ debris blower comes with a wireless remote control that makes operating the machine as easy as pushing a button. In addition to nozzle direction and throttle speed adjustments that can be made while towing the machine, the wireless remote control also provides convenient start/stop functionality.





Pro Sweep®

Faster than traditional methods of collecting aeration cores and other organic debris. Brush height adjustment accommodates a variety of turf conditions.

	Pro Sweep®
Model	07068
Power Supply	18.6 kW (25 hp) tractor or utility vehicle,* tow required
Sweep Width	132cm
Hopper Capacity	762 litre



Pro Force™

This self-contained engine driven debris blower can be towed behind or mounted to the bed of any utility vehicle. It utilizes a high-efficiency turbine to deliver industry-leading air power through a single nozzle to clear turf or pavement of leaves, twigs, pine needles, grass clippings or other debris.

	Pro Force™
Model	44552
Power Supply	18.3 kW (24.6 hp) engine, tow req.
Airflow	-
Fan Diameter	36cm

*Workman® vehicles require the high-flow hydraulics kit.
 **With nozzle. Testing per the ANSI/AMCA 210-07 standard for Laboratory Methods of Testing Fans for Certified Aerodynamic Performance Rating.
 See Commercial Equipment Guide for complete specifications.

PARTS & SERVICE Solutions Dedicated Support - Superb Availability

Unparalleled Customer Care -Toro has an extensive network of factory trained professional dealers, which have the skills, training and commitment to keep your equipment performing at it's best. Leveraging their extensive inventory and Toro's industry-leading 98% fill rate on parts, your Toro dealer leads the market in support and parts availability.

Overnight Part Availability - Most local distributors deliver parts within 24 hours. Toro backs this promise with 48 hour delivery support. Our relentless pursuit is to get you back up and running as soon as possible with solutions that provide the quality and performance you would expect.

Competitive Pricing - We are dedicated to providing you with a competitive price for the quality and dependability that you have come to expect from the Toro brand.

Find immediate answers to frequently asked questions and other helpful information, including a dealer locator, parts lookup, product registration, downloadable owner's manuals, safety information, special financing offers and interactive product manuals. go to www.toro.com

Peace of Mind - genuine parts is the only way to preserve the quality of your product and protect your warranty and your investment.



Genuine Toro Parts - To best protect your investment and maintain optimal performance of your turf equipment, count on Toro genuine parts. When it comes to reliability, Toro replacement parts are designed to the exact engineering specifications of our equipment. For peace of mind, insist on Toro genuine parts.



Toro is always there to help you care for your landscapes the way you want,
when you want, better than anyone else.

To see this catalog online visit toro.com

TORO

Count on it.



toro.com

©2016 The Toro Company.
All Rights Reserved.

111-9574 GB



facebook.com/toro.yard
twitter.com/TheToroCompany
youtube.com/ToroCompanyEurope

INNOVATION

by design

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your dealer for details on all our warranties.